



SCHEDA TECNICA DATASHEET	DATENBLATT DONNÉES TECHNIQUE	* = PAG. 202 ⇒ = RIF. UCR	ESSENCE & TRADITION BLUE		
MODELLO MODEL	MODELL MODÈLE		3/1 +4/+8 °C	4/1 +4/+8 °C	6/1 +4/+8 °C
VOLUME INTERNO INTERNAL VOLUME	INTERNER RAUM VOLUME INTERNE	MC			
DIMENSIONI INTERNE UTILI USEFUL INTERNAL DIMENSIONS	NUTZLICHE INTERNE ABMESSUNGEN DIMENSION INTERNE UTILIES	MM LxPxH	3 x GN1/1 H150	4 x GN1/1 H150	6 x GN1/1 H150
COMPRESSORE COMPRESSOR	KOMPRESSOR COMPRESSEUR		EMBRACO NT6226GK	EMBRACO NT6226GK	TECUMSEH CAJ4519Z
POTENZA FRIGORIFERA REFRIGERATION POWER	KALTELEISTUNG UISSANCE FRIGORIFIQUE	W	2058 (-10/+45)	2058 (-10/+45)	2820 (-10/+45)
POTENZA ASSORBITA ABSORBED POWER	LEISTUNGS-AUFNAHME PUISSANCE ASSORBÉE	W	972 (-10/+45)	972 (-10/+45)	2695 (-10/+45)
MASSIMA CORRENTE MAX CURRENT	MAX STROM-AUFNAHME COURANT MAXIMUM	A	9.60	9.60	15.4
TENSIONE E FREQUENZA VOLTAGE & FREQUENCY	NETZSPANNUNG UND FREQUENZ TENSION ET FREQUENCE	V / Hz	230 / 50	230 / 50	230 / 50
PESO NETTO NET WEIGHT	REINGEWICHT POIDS NET	KG			
RUMORE NOISE	LAUTSTARKE BRUIT	DB		62	69
RIPIANI MASSIMI MAX SHELVES	MAX REGALE NIVEAUX MAXIMUM	N°			
GAS REFRIGERANTE REFRIGERANT GAS	KALTEMITTEL GAS FRIGORIGÈNE	GR	900 - R404A	1200 - R404A	2000 - R404A
ELETTRONICA ELECTRONIC CARD	ELEKTRONISCHES STEUERGEHAUSE CENTRALE ELECTRONIQUE		CAREL EASY	CAREL EASY	CAREL EASY
CLASSE CLIMATICA CLIMATIC CLASS	KLIMATISCHE KLASSE CLASSE CLIMATIQUE	INDEX	3 (25°C)	3 (25°C)	3 (25°C)
CLASSE ENERGETICA ENERGY CLASS	ENERGIEEFFIZIENZKLASSE CLASSE ENERGETIQUE	INDEX			
CONSUMO ENERGIA 48H 48H ENERGY CONSUMPTION	48H STROMVERBRAUCH CONSOMMATION 48H D'ÉNERGIE	KW			
CONSUMO ENERGIA ANNUO YEAR ENERGY CONSUMPTION	DER JÄHRLICHE ENERGIEVERBRAUCH CONSOMMATION ANNUELLE D'ÉNERGIE	KW			
DIMENSIONI IMBALLO PACKING DIMENSIONS	AMBENSUGGEN VERPACKUNG DIMENSIONS EMBALLAGE	MM LxPxH	1233x1012x1100 1233x860x1595 (#)	1558x1012x1100 1558x860x1595 (#)	2208x1012x1100 2208x860x1595 (#)
RESA ABBATTIMENTO CHILLING PERFORMANCE	ERGIEBIGKEIT SCHNELLKÜHLUNG RENDEMENT REFROIDISSEMENT	KG			
RESA SURGELAZIONE FREEZING PERFORMANCE	ERGIEBIGKEIT SCHOCKFROSTUNG RENDEMENT CONGELATION	KG			
VASCHETTE GELATO ICE CREAM PANS	EISBECHER BOL DE GLACE	5L (165x360xH120)			

Dati tecnici soggetti a modifiche senza preavviso.
All specification subject to change without notice.

Technische Daten und Eigenschaften mit Änderungen ohne Anzeige.


Caractéristiques techniques sujettes à modification sans avis.

(#) = Sovrastruttura montata
(#) = Assembled glass hoods





(#) = Glasstruktur montiert

(#) = Structure de verre monté



(E) = Essence
(T) = Tradition



GN	L1	L2
2/1	844	519
3/1	1159	519
4/1	1494	759
5/1	1819	759
6/1	2144	759



ESSENCE BLUE
 A= ELECTRICAL CONNECTION
 D= WATER DISCHARGE ø16
 E= GAS CONNECTION ø8 ø10
 F= WATER BOX
 INSULATION THICKNESS 40 MM



TRADITION BLUE
 A= ELECTRICAL CONNECTION
 D= WATER DISCHARGE ø16
 E= GAS CONNECTION ø8 ø10
 F= WATER BOX
 INSULATION THICKNESS 40 MM

GN	L1	L2
2/1	844	519
3/1	1169	519
4/1	1494	759
5/1	1819	759
6/1	2144	759

