



<b>SCHEDA TECNICA</b>	<b>DATENBLATT</b>	<b>* = PAG. 202</b>	<b>ESSENCE &amp; TRADITION BROWN</b>	
<b>DATASHEET</b>	<b>DONNÉES TECHNIQUE</b>	<b>⇒ = RIF. UCR</b>		

			<b>3/1</b> <b>+60/+100 °C</b>	<b>4/1</b> <b>+60/+100 °C</b>	<b>6/1</b> <b>+60/+100 °C</b>
MODELLO	MODELL				
MODEL	MODÈLE				
VOLUME INTERNO	INTERNER RAUM	<b>MC</b>			
INTERNAL VOLUME	VOLUME INTERNE				
DIMENSIONI INTERNE UTILI	NUTZLICHE INTERNE ABMESSUNGEN	<b>MM</b>	3 x GN1/1	4 x GN1/1	6 x GN1/1
USEFUL INTERNAL DIMENSIONS	DIMENSION INTERNE UTILIES	<b>LxPxH</b>			
COMPRESSORE	KOMPRESSOR				
COMPRESSOR	COMPRESSEUR				
POTENZA FRIGORIFERA	KALTELEISTUNG	<b>W</b>			
REFRIGERATION POWER	UISSANCE FRIGORIFIQUE				
POTENZA ASSORBITA	LEISTUNGS-AUFNAHME	<b>W</b>	285x3	285x4	285x6
ABSORBED POWER	PUISSANCE ASSORBEE		350x2 (#)	350x3 (#)	350x4 (#)
MASSIMA CORRENTE	MAX STROM-AUFNAHME	<b>A</b>	7.56	10.45	14.63
MAX CURRENT	COURANT MAXIMUM				
TENSIONE E FREQUENZA	NETZSPANNUNG UND FREQUENZ	<b>V / Hz</b>	230 / 50	230 / 50	230 / 50
VOLTAGE & FREQUENCY	TENSION ET FREQUENCE				
PESO NETTO	REINGEWICHT	<b>KG</b>			
NET WEIGHT	POIDS NET				
RUMORE	LAUTSTARKE	<b>DB</b>			
NOISE	BRUIT				
RIPIANI MASSIMI	MAX REGALE	<b>N°</b>			
MAX SHELVES	NIVEAUX MAXIMUM				
GAS REFRIGERANTE	KALTEMITTEL	<b>GR</b>			
REFRIGERANT GAS	GAS FRIGORIGENE				
ELETTRONICA	ELEKTRONISCHES STEUERGEHAUSE		CAREL	CAREL	CAREL
ELECTRONIC CARD	CENTRALE ELECTRONIQUE		EASY	EASY	EASY
CLASSE CLIMATICA	KLIMATISCHE KLASSE	<b>INDEX</b>	3 (25°C)	3 (25°C)	3 (25°C)
CLIMATIC CLASS	CLASSE CLIMATIQUE				
CLASSE ENERGETICA	ENERGIEEFFIZIENZKLASSE	<b>INDEX</b>			
ENERGY CLASS	CLASSE ENERGETIQUE				
CONSUMO ENERGIA 48H	48H STROMVERBRAUCH	<b>KW</b>			
48H ENERGY CONSUMPTION	CONSOMMATION 48H D'ÉNERGIE				
CONSUMO ENERGIA ANNUO	DER JAHRliche ENERGIEVERBRAUCH	<b>KW</b>			
YEAR ENERGY CONSUMPTION	CONSOMMATION ANNUELLE D'ÉNERGIE				
DIMENSIONI IMBALLO	AMBENSUGGEN VERPACKUNG	<b>MM</b>	1233x750x1100 (E)	1558x750x1100 (E)	2208x750x1100 (E)
PACKING DIMENSIONS	DIMENSIONS EMBALLAGE	<b>LxPxH</b>	1233x902x1100 (T)	1558x902x1100 (T)	2208x902x1100 (T)
			1233x750x1595 (#)	1558x750x1595 (#)	2208x750x1595 (#)
RESA ABBATTIMENTO	ERGIEBIGKEIT SCHNELLKÜHLUNG	<b>KG</b>			
CHILLING PERFORMANCE	RENDEMENT REFROIDISSEMENT				
RESA SURGELAZIONE	ERGIEBIGKEIT SCHOCKFROSTUNG	<b>KG</b>			
FREEZING PERFORMANCE	RENDEMENT CONGELATION				
VASCHETTE GELATO	EISBECHER	5L			
ICE CREAM PANS	BOL DE GLACE	(165x360xH120)			

Dati tecnici soggetti a modifiche senza preavviso.  
All specification subject to change without notice.

Technische Daten und Eigenschaften mit Änderungen ohne Anzeige.

Caractéristiques techniques sujettes à modification sans avis.

(#) = Sovrastruttura in vetro


(#) = Glass hoods

(#) = Glasstruktur




(#) = Structure de verre

(E) = Essence


(T) = Tradition





GN	L
3/1	1169
4/1	1494
6/1	2144



ESSENCE RED-ORANGE-BROWN  
 A= ELECTRICAL CONNECTION  
 D= WATER DISCHARGE ø14



GN	L
3/1	1169
4/1	1494
6/1	2144



TRADITION RED-DRANGE-BROWN  
 A= ELECTRICAL CONNECTION  
 D= WATER DISCHARGE ø14

